

Contents

Title	Content	Pg.No.
	Declaration by the Candidate	I
	Certificate of Supervisor	II
	Thesis Approval Form	III
	Acknowledgement	IV
	Contents	V
	List of Figures	XXV
	List of Tables	XXXI
	Abstract	XL
Chapter : 1	Introduction	1
	1.1 Introduction to Antimicrobial Agents	1
	1.2 Classification of Antimicrobial Agents	2
	1.2.1 Antiviral Drugs	2
	1.2.2 Antibacterial Drugs	2
	1.2.3 Antifungal Drugs	4
	1.2.4 Antiprotozoal Drugs	4
	1.2.5 Antihelmintic Drugs	4
	1.3 Introduction to Analytical Method Development And Validation	5
	1.3.1 The Steps Involved in Method Development And Validation	5
	1.3.2 Need For Method Development & Validation in Pharmaceuticals	6
	1.3.3 Need For Stability Indicating Method Development & Assay Method SIAM New Drug Substances and Products	7
	1.3.4 Selection of the spectroscopic & chromatographic Methods	8
	1.3.5 Validation Parameters for Analytical Method	9
	1.4 Introduction to Instrumental Analytical Approach	10
	1.4.1 UV-Visible Spectroscopy	10
	1.4.2 FTIR Spectroscopy	11

	1.4.3 HPLC High Performance Liquid Chromatography	12
	1.4.4 In-Vitro Dissolution studies	13
	1.5 Drugs And Formulations Selected For The Analytical Method Development And Validation	14
Chapter : 2	Aim And Objectives	16
	2.1 Problem Statement	16
	2.2 Contribution of Research Work Towards Problem Domain	17
	2.3 Aims And Objectives of Research	18
Chapter : 3	Review of Literature	20
	3.1 Literature Review For Drugs & Their Combinations	20
	3.2 Drug Profile	22
	3.2.1 Doravirine	22
	3.2.2 Lamivudine	23
	3.2.3 Tenofovir	24
	3.2.4 Cabotegravir	25
	3.2.5 Rilpivirine	26
	3.2.6 Dolutegravir	27
	3.2.7 Fexinidazole	28
	3.2.8 Maribavir	29
	3.2.9 Molnupiravir	30
	3.2.10 Amoxicillin	31
	3.2.11 Clarithromycin	32
	3.2.12 Vonoprazan	33
Chapter : 4	HPLC Method Development And Validation For Delstrigo Combination	34
	4.1 Experimentals	34
	4.1.1 Instruments Utilised	34
	4.1.2 Materials and Reagents Utilised	34
	4.1.3 Identification of Standard Drug Samples	35
	4.1.4 Preparation of Solutions	38
	4.1.5 Selection of Wavelength for Detection	39
	4.1.6 Selection and Optimization of Mobile Phase	40

4.1.7 Optimized Chromatographic Conditions	41
4.2 Method Validation	42
4.2.1 Linearity	42
4.2.2 Specificity and Selectivity	42
4.2.3 Accuracy	42
4.2.4 Precision	43
4.2.4.1 Repeatability	43
4.2.4.2 Intraday Precision	43
4.2.4.3 Interday Precision	43
4.2.5 LOD and LOQ	43
4.3 Application Of Developed Analytical Method as a Assay Method For Marketed Formulation	43
4.4 Application of Developed Method In Dissolution Studies	44
4.4.1 Dissolution Medium	44
4.4.2 Dissolution Instrument & Procedure	44
4.5 Results & Discussions	45
4.5.1 Method Development	45
4.5.2 Method Validation	46
4.5.2.1 Specificity	46
4.5.2.2 Linearity and Range	48
4.5.2.3 Accuracy	49
4.5.2.4 Precision	50
4.5.2.4.1 Repeatability	50
4.5.2.4.2 Intraday Precision	51
4.5.2.4.3 Interday Precision	51
4.5.2.5 LOD and LOQ	52
4.5.3 Application of Developed Analytical Method to Formulation	52
4.5.4 Dissolution Studies	53
4.5.5 Summary of Results	55
4.6 Conclusions	55
Chapter : 5 Stability Indicating HPLC Method Development And Validation For Delstrigo Combination	56

5.1 Experimentals	56
5.1.1 Instruments Utilised	56
5.1.2 Materials and Reagents Utilised	56
5.1.3 Identification of Standard Drug Samples	57
5.1.4 Preparation of Solutions	60
5.1.5 Selection of Wavelength for Detection	61
5.1.6 Selection and Optimization of Mobile Phase	62
5.1.7 Optimized Chromatographic Conditions	63
5.2 Stability Studies by Forced Degradations	64
5.2.1 Acid Degradation	64
5.2.2 Base Degradation	64
5.2.3 Oxidative Degradation	65
5.2.4 Thermal Degradation	65
5.2.5 Photo Degradation	66
5.3 Method Validation	67
5.3.1 Linearity	67
5.3.2 Specificity and Selectivity	67
5.3.3 Accuracy	67
5.3.4 Precision	68
5.3.4.1 Repeatability	68
5.3.4.2 Intraday Precision	68
5.3.4.3 Interday Precision	68
5.3.5 LOD and LOQ	68
5.4 Application Of Developed Analytical Method as a Assay Method For Marketed Formulation	68
5.5 Application of Developed Method In Dissolution Studies	69
5.5.1 Dissolution Medium	69
5.5.2 Dissolution Instrument & Procedure	69
5.6 Results & Discussions	70
5.6.1 Method Development	70
5.6.2 Stability & Forced Degradation Studies	71
5.6.3 Method Validation	76
5.6.3.1 Specificity	76

	5.6.3.2 Linearity and Range	77
	5.6.3.3 Accuracy	79
	5.6.3.4 Precision	80
	5.6.3.4.1 Repeatability	80
	5.6.3.4.2 Intraday Precision	81
	5.6.3.4.3 Interday Precision	81
	5.6.3.5 LOD and LOQ	82
	5.6.4 Application of Developed Analytical Method to Formulation	82
	5.6.5 Dissolution Studies	83
	5.6.6 Summary of Results	84
	5.7 Conclusions	85
Chapter : 6	HPLC Method Development And Validation For Cabotegravir And Rilpivirine	86
	6.1 Experimentals	86
	6.1.1 Instruments Utilised	86
	6.1.2 Materials and Reagents Utilised	86
	6.1.3 Identification of Standard Drug Samples	87
	6.1.4 Preparation of Solutions	89
	6.1.5 Selection of Wavelength for Detection	90
	6.1.6 Selection and Optimization of Mobile Phase	91
	6.1.7 Optimized Chromatographic Conditions	93
	6.2 Method Validation	93
	6.2.1 Linearity	93
	6.2.2 Specificity and Selectivity	93
	6.2.3 Accuracy	94
	6.2.4 Precision	94
	6.2.4.1 Repeatability	94
	6.2.4.2 Intraday Precision	94
	6.2.4.3 Interday Precision	94
	6.2.5 LOD and LOQ	94
	6.3 Application Of Developed Analytical Method as a Assay Method For Marketed Formulation	95

6.4 Results & Discussions	95
6.4.1 Method Development	95
6.4.2 Method Validation	97
6.4.2.1 Specificity	97
6.4.2.2 Linearity and Range	98
6.4.2.3 Accuracy	99
6.4.2.4 Precision	100
6.4.2.4.1 Repeatability	100
6.4.2.4.2 Intraday Precision	101
6.4.2.4.3 Interday Precision	101
6.4.2.5 LOD and LOQ	102
6.4.3 Application of Developed Analytical Method to Formulation	102
6.4.4 Summary of Results	103
6.5 Conclusions	103
Chapter : 7 Stability Indicating HPLC Method Development And Validation For Cabotegravir And Rilpivirine	104
7.1 Experimentals	104
7.1.1 Instruments Utilised	104
7.1.2 Materials and Reagents Utilised	104
7.1.3 Identification of Standard Drug Samples	105
7.1.4 Preparation of Solutions	107
7.1.5 Selection of Wavelength for Detection	108
7.1.6 Selection and Optimization of Mobile Phase	109
7.1.7 Optimized Chromatographic Conditions	111
7.2 Stability Studies by Forced Degradations	111
7.2.1 Acid Degradation	111
7.2.2 Base Degradation	112
7.2.3 Oxidative Degradation	112
7.2.4 Thermal Degradation	113
7.2.5 Photo Degradation	113
7.3 Method Validation	114
7.3.1 Linearity	114

7.3.2 Specificity and Selectivity	114
7.3.3 Accuracy	114
7.3.4 Precision	115
7.3.4.1 Repeatability	115
7.3.4.2 Intraday Precision	115
7.3.4.3 Interday Precision	115
7.3.5 LOD and LOQ	115
7.4 Application Of Developed Analytical Method as a Assay Method For Marketed Formulation	116
7.5 Results & Discussions	116
7.5.1 Method Development	116
7.5.2 Stability & Forced Degradation Studies	117
7.5.3 Method Validation	121
7.5.3.1 Specificity	121
7.5.3.2 Linearity and Range	123
7.5.3.3 Accuracy	124
7.5.3.4 Precision	125
7.5.3.4.1 Repeatability	125
7.5.3.4.2 Intraday Precision	125
7.5.3.4.3 Interday Precision	126
7.5.3.5 LOD and LOQ	126
7.5.4 Application of Developed Analytical Method to Formulation	126
7.5.5 Summary of Results	127
7.6 Conclusions	128
Chapter : 8 HPLC Method Development And Validation For Dolutegravir Tenofovir And Rilpivirine	129
8.1 Experimentals	129
8.1.1 Instruments Utilised	129
8.1.2 Materials and Reagents Utilised	129
8.1.3 Identification of Standard Drug Samples	130
8.1.4 Preparation of Solutions	133
8.1.5 Selection of Wavelength for Detection	134

8.1.6 Selection and Optimization of Mobile Phase	135
8.1.7 Optimized Chromatographic Conditions	138
8.2 Method Validation	138
8.2.1 Linearity	138
8.2.2 Specificity and Selectivity	138
8.2.3 Accuracy	139
8.2.4 Precision	139
8.2.4.1 Repeatability	139
8.2.4.2 Intraday Precision	139
8.2.4.3 Interday Precision	139
8.2.5 LOD and LOQ	139
8.3 Application Of Developed Analytical Method as a Assay Method For Marketed Formulation	140
8.4 Results & Discussions	140
8.4.1 Method Development	140
8.4.2 Method Validation	142
8.4.2.1 Specificity	142
8.4.2.2 Linearity and Range	143
8.4.2.3 Accuracy	146
8.4.2.4 Precision	146
8.4.2.4.1 Repeatability	146
8.4.2.4.2 Intraday Precision	147
8.4.2.4.3 Interday Precision	148
8.4.2.5 LOD and LOQ	148
8.4.3 Application of Developed Analytical Method to Formulation	148
8.4.4 Summary of Results	149
8.5 Conclusions	150
Chapter : 9 Stability HPLC Method Development And Validation For Dolutegravir Tenofovir And Rilpivirine	151
9.1 Experimentals	151
9.1.1 Instruments Utilised	151
9.1.2 Materials and Reagents Utilised	151

9.1.3 Identification of Standard Drug Samples	152
9.1.4 Preparation of Solutions	155
9.1.5 Selection of Wavelength for Detection	156
9.1.6 Selection and Optimization of Mobile Phase	157
9.1.7 Optimized Chromatographic Conditions	160
9.2 Stability Studies by Forced Degradations	160
9.2.1 Acid Degradation	160
9.2.2 Base Degradation	161
9.2.3 Oxidative Degradation	161
9.2.4 Thermal Degradation	162
9.2.5 Photo Degradation	162
9.3 Method Validation	163
9.3.1 Linearity	163
9.3.2 Specificity and Selectivity	163
9.3.3 Accuracy	164
9.3.4 Precision	164
9.3.4.1 Repeatability	164
9.3.4.2 Intraday Precision	164
9.3.4.3 Interday Precision	164
9.3.5 LOD and LOQ	164
9.4 Application Of Developed Analytical Method as a Assay Method For Marketed Formulation	165
9.5 Results & Discussions	165
9.5.1 Method Development	165
9.5.2 Stability & Forced Degradation Studies	166
9.5.3 Method Validation	171
9.5.3.1 Specificity	171
9.5.3.2 Linearity and Range	172
9.5.3.3 Accuracy	175
9.5.3.4 Precision	175
9.5.3.4.1 Repeatability	175
9.5.3.4.2 Intraday Precision	176
9.5.3.4.3 Interday Precision	177

	9.5.3.5 LOD and LOQ	177
	9.5.4 Application of Developed Analytical Method to Formulation	177
	9.5.5 Summary of Results	178
	9.6 Conclusions	179
Chapter : 10	HPLC Method Development And Validation For Fexinidazole	180
	10.1 Experimentals	180
	10.1.1 Instruments Utilised	180
	10.1.2 Materials and Reagents Utilised	180
	10.1.3 Identification of Standard Drug Samples	181
	10.1.4 Preparation of Solutions	182
	10.1.5 Selection of Wavelength for Detection	183
	10.1.6 Selection and Optimization of Mobile Phase	183
	10.1.7 Optimized Chromatographic Conditions	185
	10.2 Method Validation	185
	10.2.1 Linearity	185
	10.2.2 Specificity and Selectivity	185
	10.2.3 Accuracy	186
	10.2.4 Precision	186
	10.2.4.1 Repeatability	186
	10.2.4.2 Intraday Precision	186
	10.2.4.3 Interday Precision	186
	10.2.5 LOD and LOQ	186
	10.3 Application Of Developed Analytical Method as a Assay Method For Marketed Formulation	187
	10.4 Application of Developed Method In Dissolution Studies	187
	10.4.1 Dissolution Medium	187
	10.4.2 Dissolution Instrument & Procedure	188
	10.5 Results & Discussions	188
	10.5.1 Method Development	188
	10.5.2 Method Validation	190

10.5.2.1 Specificity	190
10.5.2.2 Linearity and Range	191
10.5.2.3 Accuracy	192
10.5.2.4 Precision	192
10.5.2.4.1 Repeatability	192
10.5.2.4.2 Intraday Precision	193
10.5.2.4.3 Interday Precision	193
10.5.2.5 LOD and LOQ	193
10.5.3 Application of Developed Analytical Method to Formulation	194
10.5.4 Dissolution Studies	194
10.5.5 Summary of Results	195
10.6 Conclusions	196
Chapter : 11 Stability Indicating HPLC Method Development And Validation For Fexinidazole	197
11.1 Experimentals	197
11.1.1 Instruments Utilised	197
11.1.2 Materials and Reagents Utilised	197
11.1.3 Identification of Standard Drug Samples	198
11.1.4 Preparation of Solutions	199
11.1.5 Selection of Wavelength for Detection	200
11.1.6 Selection and Optimization of Mobile Phase	200
11.1.7 Optimized Chromatographic Conditions	202
11.2 Stability Studies by Forced Degradations	202
11.2.1 Acid Degradation	202
11.2.2 Base Degradation	203
11.2.3 Oxidative Degradation	203
11.2.4 Thermal Degradation	204
11.2.5 Photo Degradation	204
11.3 Method Validation	205
11.3.1 Linearity	205
11.3.2 Specificity and Selectivity	205
11.3.3 Accuracy	205

11.3.4 Precision	206
11.3.4.1 Repeatability	206
11.3.4.2 Intraday Precision	206
11.3.4.3 Interday Precision	206
11.3.5 LOD and LOQ	206
11.4 Application Of Developed Analytical Method as a Assay Method For Marketed Formulation	206
11.5 Application of Developed Method In Dissolution Studies	207
11.5.1 Dissolution Medium	207
11.5.2 Dissolution Instrument & Procedure	207
11.6 Results & Discussions	208
11.6.1 Method Development	208
11.6.2 Stability & Forced Degradation Studies	209
11.6.3 Method Validation	213
11.6.3.1 Specificity	213
11.6.3.2 Linearity and Range	215
11.6.3.3 Accuracy	216
11.6.3.4 Precision	216
11.6.3.4.1 Repeatability	216
11.6.3.4.2 Intraday Precision	217
11.6.3.4.3 Interday Precision	217
11.6.3.5 LOD and LOQ	217
11.6.4 Application of Developed Analytical Method to Formulation	218
11.6.5 Dissolution Studies	218
11.6.6 Summary of Results	219
11.7 Conclusions	220
Chapter : 12 HPLC Method Development And Validation For Maribavir	221
12.1 Experimentals	221
12.1.1 Instruments Utilised	221
12.1.2 Materials and Reagents Utilised	221

12.1.3 Identification of Standard Drug Samples	222
12.1.4 Preparation of Solutions	223
12.1.5 Selection of Wavelength for Detection	224
12.1.6 Selection and Optimization of Mobile Phase	225
12.1.7 Optimized Chromatographic Conditions	226
12.2 Method Validation	226
12.2.1 Linearity	226
12.2.2 Specificity and Selectivity	227
12.2.3 Accuracy	227
12.2.4 Precision	227
12.2.4.1 Repeatability	227
12.2.4.2 Intraday Precision	227
12.2.4.3 Interday Precision	228
12.2.5 LOD and LOQ	228
12.3 Application Of Developed Analytical Method as a Assay Method For Marketed Formulation	228
12.4 Results & Discussions	229
12.4.1 Method Development	229
12.4.2 Method Validation	230
12.4.2.1 Specificity	230
12.4.2.2 Linearity and Range	231
12.4.2.3 Accuracy	232
12.4.2.4 Precision	233
12.4.2.4.1 Repeatability	233
12.4.2.4.2 Intraday Precision	233
12.4.2.4.3 Interday Precision	233
12.4.2.5 LOD and LOQ	234
12.4.3 Application of Developed Analytical Method to Formulation	234
12.4.4 Summary of Results	235
12.5 Conclusions	235
Chapter : 13 Stability Indicating HPLC Method Development And Validation For Maribavir	236

13.1	Experimentals	236
13.1.1	Instruments Utilised	236
13.1.2	Materials and Reagents Utilised	236
13.1.3	Identification of Standard Drug Samples	237
13.1.4	Preparation of Solutions	238
13.1.5	Selection of Wavelength for Detection	239
13.1.6	Selection and Optimization of Mobile Phase	240
13.1.7	Optimized Chromatographic Conditions	241
13.2	Stability Studies by Forced Degradations	241
13.2.1	Acid Degradation	242
13.2.2	Base Degradation	242
13.2.3	Oxidative Degradation	242
13.2.4	Thermal Degradation	243
13.2.5	Photo Degradation	243
13.3	Method Validation	244
13.3.1	Linearity	244
13.3.2	Specificity and Selectivity	244
13.3.3	Accuracy	245
13.3.4	Precision	245
13.3.4.1	Repeatability	245
13.3.4.2	Intraday Precision	245
13.3.4.3	Interday Precision	245
13.3.5	LOD and LOQ	245
13.4	Application Of Developed Analytical Method as a Assay Method For Marketed Formulation	246
13.5	Results & Discussions	246
13.5.1	Method Development	246
13.5.2	Stability & Forced Degradation Studies	247
13.5.3	Method Validation	252
13.5.3.1	Specificity	252
13.5.3.2	Linearity and Range	253
13.5.3.3	Accuracy	254
13.5.3.4	Precision	254

	13.5.3.4.1 Repeatability	254
	13.5.3.4.2 Intraday Precision	255
	13.5.3.4.3 Interday Precision	255
	13.5.3.5 LOD and LOQ	255
	13.5.4 Application of Developed Analytical Method to Formulation	256
	13.5.5 Summary of Results	256
	13.6 Conclusions	257
Chapter : 14	HPLC Method Development And Validation For Molnupiravir	258
	14.1 Experimentals	258
	14.1.1 Instruments Utilised	258
	14.1.2 Materials and Reagents Utilised	258
	14.1.3 Identification of Standard Drug Samples	259
	14.1.4 Preparation of Solutions	260
	14.1.5 Selection of Wavelength for Detection	261
	14.1.6 Selection and Optimization of Mobile Phase	262
	14.1.7 Optimized Chromatographic Conditions	263
	14.2 Method Validation	263
	14.2.1 Linearity	263
	14.2.2 Specificity and Selectivity	263
	14.2.3 Accuracy	264
	14.2.4 Precision	264
	14.2.4.1 Repeatability	264
	14.2.4.2 Intraday Precision	264
	14.2.4.3 Interday Precision	264
	14.2.5 LOD and LOQ	264
	14.3 Application Of Developed Analytical Method as a Assay Method For Marketed Formulation	265
	14.4 Results & Discussions	265
	14.4.1 Method Development	265
	14.4.2 Method Validation	267
	14.4.2.1 Specificity	267

14.4.2.2	Linearity and Range	268
14.4.2.3	Accuracy	269
14.4.2.4	Precision	269
14.4.2.4.1	Repeatability	269
14.4.2.4.2	Intraday Precision	270
14.4.2.4.3	Interday Precision	270
14.4.2.5	LOD and LOQ	270
14.4.3	Application of Developed Analytical Method to Formulation	271
14.4.4	Summary of Results	271
14.5	Conclusions	272
Chapter : 15	Stability Indicating HPLC Method Development And Validation For Molnupiravir	273
15.1	Experimentals	273
15.1.1	Instruments Utilised	273
15.1.2	Materials and Reagents Utilised	273
15.1.3	Identification of Standard Drug Samples	274
15.1.4	Preparation of Solutions	275
15.1.5	Selection of Wavelength for Detection	276
15.1.6	Selection and Optimization of Mobile Phase	277
15.1.7	Optimized Chromatographic Conditions	278
15.2	Stability Studies by Forced Degradations	278
15.2.1	Acid Degradation	278
15.2.2	Base Degradation	279
15.2.3	Oxidative Degradation	279
15.2.4	Thermal Degradation	279
15.2.5	Photo Degradation	280
15.3	Method Validation	281
15.3.1	Linearity	281
15.3.2	Specificity and Selectivity	281
15.3.3	Accuracy	281
15.3.4	Precision	282
15.3.4.1	Repeatability	282

15.3.4.2	Intraday Precision	282
15.3.4.3	Interday Precision	282
15.3.5	LOD and LOQ	282
15.4	Application Of Developed Analytical Method as a Assay Method For Marketed Formulation	282
15.5	Results & Discussions	283
15.5.1	Method Development	283
15.5.2	Stability & Forced Degradation Studies	284
15.5.3	Method Validation	289
15.5.3.1	Specificity	289
15.5.3.2	Linearity and Range	290
15.5.3.3	Accuracy	291
15.5.3.4	Precision	291
15.5.3.4.1	Repeatability	291
15.5.3.4.2	Intraday Precision	292
15.5.3.4.3	Interday Precision	292
15.5.3.5	LOD and LOQ	292
15.5.4	Application of Developed Analytical Method to Formulation	293
15.5.5	Summary of Results	293
15.6	Conclusions	294
Chapter : 16	HPLC Method Development And Validation For Voquezna Combination Amoxicillin Clarithromycin And Vonoprazan	295
16.1	Experimentals	295
16.1.1	Instruments Utilised	295
16.1.2	Materials and Reagents Utilised	295
16.1.3	Identification of Standard Drug Samples	296
16.1.4	Preparation of Solutions	299
16.1.5	Selection of Wavelength for Detection	300
16.1.6	Selection and Optimization of Mobile Phase	301
16.1.7	Optimized Chromatographic Conditions	303
16.2	Method Validation	303
16.2.1	Linearity	303

16.2.2 Specificity and Selectivity	303
16.2.3 Accuracy	304
16.2.4 Precision	304
16.2.4.1 Repeatability	304
16.2.4.2 Intraday Precision	304
16.2.4.3 Interday Precision	304
16.2.5 LOD and LOQ	305
16.3 Application Of Developed Analytical Method as a Assay Method For Marketed Formulation	305
16.4 Results & Discussions	306
16.4.1 Method Development	306
16.4.2 Method Validation	307
16.4.2.1 Specificity	307
16.4.2.2 Linearity and Range	309
16.4.2.3 Accuracy	311
16.4.2.4 Precision	312
16.4.2.4.1 Repeatability	312
16.4.2.4.2 Intraday Precision	312
16.4.2.4.3 Interday Precision	313
16.4.2.5 LOD and LOQ	313
16.4.3 Application of Developed Analytical Method to Formulation	313
16.4.4 Summary of Results	314
16.5 Conclusions	315
Chapter : 17 Stability HPLC Method Development And Validation For Voquezna Combination Amoxicillin Clarithromycin And Vonoprazan	316
17.1 Experimentals	316
17.1.1 Instruments Utilised	316
17.1.2 Materials and Reagents Utilised	316
17.1.3 Identification of Standard Drug Samples	317
17.1.4 Preparation of Solutions	320
17.1.5 Selection of Wavelength for Detection	321

17.1.6 Selection and Optimization of Mobile Phase	322
17.1.7 Optimized Chromatographic Conditions	324
17.2 Stability Studies by Forced Degradations	324
17.2.1 Acid Degradation	324
17.2.2 Base Degradation	325
17.2.3 Oxidative Degradation	325
17.2.4 Thermal Degradation	326
17.2.5 Photo Degradation	326
17.3 Method Validation	327
17.3.1 Linearity	327
17.3.2 Specificity and Selectivity	327
17.3.3 Accuracy	328
17.3.4 Precision	328
17.3.4.1 Repeatability	328
17.3.4.2 Intraday Precision	328
17.3.4.3 Interday Precision	328
17.3.5 LOD and LOQ	328
17.4 Application Of Developed Analytical Method as a Assay Method For Marketed Formulation	329
17.5 Results & Discussions	329
17.5.1 Method Development	329
17.5.2 Stability & Forced Degradation Studies	331
17.5.3 Method Validation	335
17.5.3.1 Specificity	335
17.5.3.2 Linearity and Range	337
17.5.3.3 Accuracy	340
17.5.3.4 Precision	340
17.5.3.4.1 Repeatability	340
17.5.3.4.2 Intraday Precision	341
17.5.3.4.3 Interday Precision	342
17.5.3.5 LOD and LOQ	342
17.5.4 Application of Developed Analytical Method to Formulation	342

17.5.5 Summary of Results	343
17.6 Conclusions	344

Bibliography

Appendix A Plagiarism Report

Appendix B Publication