

## Contents

<b>Title</b>	<b>Content</b>	<b>Page. No.</b>
	<b>Declaration by Research Scholar–Originality of Research Work</b>	<b>II</b>
	<b>Certificate of Supervisor</b>	<b>III</b>
	<b>Thesis Approval form</b>	<b>IV</b>
	<b>Declaration by Research Scholar – Submission of Thesis</b>	<b>V</b>
	<b>Acknowledgement</b>	<b>VI</b>
	<b>Contents</b>	<b>VIII</b>
	<b>List of Figures</b>	<b>XII</b>
	<b>List of Tables</b>	<b>XIV</b>
	<b>Abstract</b>	<b>XV</b>
<b>Chapter : 1</b>	<b>Introduction</b>	<b>1</b>
	<b>1.1 Diabetes- Global Scenario</b>	<b>2</b>
	<b>1.2 Global Statistics</b>	<b>4</b>
	<b>1.3 Types of Diabetes</b>	<b>5</b>
	<b>1.4 Symptoms of Diabetes</b>	<b>8</b>
	<b>1.5 Patho-physiology of Diabetes</b>	<b>8</b>
	<b>1.6 Types of Diabetic Wounds and their risk factors</b>	<b>32</b>
	<b>1.7 Overview of Health care</b>	<b>33</b>
	<b>1.8 Concept of phytochemicals</b>	<b>40</b>
	<b>1.9 Concept of Synergism</b>	<b>43</b>

	<b>1.10 Challenges in Phytochemical Research</b>	<b>45</b>
	<b>1.11 Nanotechnology-enhanced Ayurvedic formulations</b>	<b>46</b>
	<b>1.12 integrating allopathic drugs, nanotechnology, and Ayurvedic formulations</b>	<b>47</b>
	<b>1.13 Polyherbal formulations and their advantages</b>	<b>47</b>
	<b>1.14 Plants of interest</b>	<b>50</b>
	<b>1.15 Concept of <i>Tailum</i></b>	<b>55</b>
	<b>1.16 Objectives of the study undertaken</b>	<b>59</b>
<b>Chapter : 2</b>	<b>Literature Review</b>	<b>60</b>
<b>Chapter : 3</b>	<b>Materials and Methods</b>	<b>178</b>
	<b>3.1 Plant materials and sample preparation</b>	<b>179</b>
	<b>3.2 Preparation of the Ayurvedic polyherbal formulation</b>	<b>179</b>
	<b>3.3 Physiological Properties</b>	<b>179</b>
	<b>3.3.1 Acid value</b>	<b>180</b>
	<b>3.3.2 Saponification value</b>	<b>180</b>
	<b>3.3.3 pH determination</b>	<b>180</b>
	<b>3.3.4 Viscosity</b>	<b>180</b>
	<b>3.3.5 Specific gravity</b>	<b>180</b>
	<b>3.3.6 Refractive index</b>	<b>180</b>
	<b>3.3.7 Organoleptic property</b>	<b>180</b>
	<b>3.3.8 Relative density</b>	<b>181</b>
	<b>3.4 Phytochemical analysis</b>	<b>182</b>

	<b>3.5 Extraction of phytochemicals</b>	<b>183</b>
	<b>3.6 Quantitative analysis of plant extract</b>	<b>183</b>
	<b>3.7 GCMS Analysis</b>	<b>184</b>
	<b>3.8 <i>In Vitro</i> Antioxidant Activity</b>	<b>185</b>
	<b>3.9 Molecular Biology assay</b>	<b>186</b>
	<b>3.10 Clinical Trials</b>	<b>187</b>
	<b>3.11 Microbial Profiling from the purulent samples</b>	<b>196</b>
	<b>3.12 Determination of Minimum inhibitory Concentration (MIC)</b>	<b>198</b>
	<b>3.13 Anti- Biofilm assay</b>	<b>199</b>
<b>Chapter : 4</b>	<b>Results and Discussion</b>	<b>200</b>
	<b>4.1 Plant materials and sample preparation</b>	<b>201</b>
	<b>4.2 Preparation of the ayurvedic polyherbal formulation</b>	<b>202</b>
	<b>4.3 Physiological Properties</b>	<b>204</b>
	<b>4.4 Phytochemical analysis</b>	<b>206</b>
	<b>4.5 Extraction of phytochemicals</b>	<b>207</b>
	<b>4.6 Quantitative analysis of plant extract</b>	<b>211</b>
	<b>4.7 GCMS Analysis</b>	<b>213</b>
	<b>4.8 <i>In vitro</i> Antioxidant Activity</b>	<b>229</b>
	<b>4.9 Molecular Biology assay</b>	<b>233</b>
	<b>4.10 Clinical Trials</b>	<b>241</b>
	<b>4.11 Microbial Profiling from the purulent samples</b>	<b>251</b>

	<b>4.12 Determination of Minimum inhibitory Concentration (MIC):</b>	<b>258</b>
	<b>4.13 Anti- Biofilm assay</b>	<b>259</b>
	<b>4.14 Ointment Preparation &amp; Characterisation</b>	<b>260</b>
<b>Chapter 5</b>	<b>Summary and Conclusion</b>	<b>265</b>
	<b>Bibliography</b>	<b>270</b>
<b>Appendix A</b>	<b>Plagiarism Report</b>	<b>296</b>
<b>Appendix B</b>	<b>Publication</b>	<b>297</b>

## List of Figures

<b>Figure No.</b>	<b>Name of the Figure</b>	<b>Pg. No.</b>
1.	<i>Fig 1: The dried plant parts</i>	201
2.	<i>Fig 2: The process of Kwath formation</i>	203
3.	<i>Fig 3: The process of Tailum formation</i>	203
4.	<i>Fig 4: Extraction of Phytochemicals in Water</i>	208
5.	<i>Fig 5: Extraction of Phytochemicals in Methanol</i>	208
6.	<i>Fig 6: Extraction of Phytochemicals in Ethanol</i>	209
7.	<i>Fig 7: Extraction of Phytochemicals in Petroleum Ether</i>	210
8.	<i>Fig 8: Extraction of Phytochemicals in Hexane</i>	210
9.	<i>Fig 9: Extraction of Phytochemicals in Chloroform</i>	211
10.	<i>Fig 10: Storage of Phytochemical Extracts</i>	211
11.	<i>Fig 11: Data of Phytochemical Tests</i>	212
12.	<i>Fig 12: GC-MS Data Report</i>	214
13.	<i>Fig13: Antioxidant analysis by DPPH assay of oil.</i>	231
14.	<i>Fig 14: Antioxidant analysis by Hydrogen peroxide scavenging assay</i>	231
15.	<i>Fig 15: Antioxidant analysis by Reducing Power assay</i>	232
16.	<i>Fig 16: Antioxidant analysis by phosphomolydenum assay</i>	233
17.	<i>Fig 17: Cell proliferation assay (Dose Dependent) in Normal cell line.</i>	235
18.	<i>Fig 18: Cell proliferation assay (Dose Dependent) in Hyperglycemic cell line</i>	236
19.	<i>Fig 19: Time dependent cell proliferation assay in Normal cell</i>	236

<b>20.</b>	<i>Fig 20: ROS generation in normal cell</i>	237
<b>21.</b>	<i>Fig 21: ROS generation in hyperglycaemic cells</i>	237
<b>22.</b>	<i>Fig 22: FACS performed in normal cells</i>	238
<b>23.</b>	<i>Fig 23: FACS performed in hyperglycaemic cells</i>	238
<b>24.</b>	<i>Fig 24: Phagocytosis activity</i>	239
<b>25.</b>	<i>Fig 25: Cell migration assay in normal cells</i>	240
<b>26.</b>	<i>Fig 26: Cell Migration assay in hyperglycaemic cell</i>	240
<b>27.</b>	<i>Fig 27: Anti- biofilm assay of all the microbial isolates from purulent wound samples.</i>	260

**List of Tables**

<b>Table No.</b>	<b>Name of Table</b>	<b>Pg. No.</b>
1.	<i>Table 1: Physiological properties of Polyherbal formulation</i>	205
2.	<i>Table 2: Qualitative data of Polyherbal formulation</i>	207
3.	<i>Table 3: Colony Characterisation of the microbial isolates from purulent wound samples</i>	251
4.	<i>Table 4: Biochemical data of the microbial isolates from purulent wound samples</i>	254
5.	<i>Table 5: MIC (Minimum inhibitory Concentration) of polyherbal formulation onto microbial isolates from purulent wound samples</i>	259
6.	<i>Table 6: Different ointment formation</i>	261
7.	<i>Table 7: Physiological Characteristics of different ointments prepared</i>	262