

## References

- Saeedian, M., Eskandari, B., Taheri, S., Hinkkanen, M., & Pouresmaeil, E. (2020). A control technique based on distributed virtual inertia for high penetration of renewable energies under weak grid conditions. *IEEE Systems Journal*, 15(2), 1825-1834.
- Khan, H. A., Zuhaib, M., & Rihan, M. (2022). A review on voltage and frequency contingencies mitigation technologies in a grid with renewable energy integration. *Journal of The Institution of Engineers (India): Series B*, 103(6), 2195-2205.
- Fernández-Guillamón, A., Gómez-Lázaro, E., Muljadi, E., & Molina-García, Á. (2021). A review of virtual inertia techniques for renewable energy-based generators. *Renewable Energy–Technologies and Applications*.
- Yap, K. Y., Sarimuthu, C. R., & Lim, J. M. Y. (2019). Virtual inertia-based inverters for mitigating frequency instability in grid-connected renewable energy system: A review. *Applied Sciences*, 9(24), 5300.
- Saleh, A., Omran, W. A., Hasanien, H. M., Tostado-Véliz, M., Alkuhayli, A., & Jurado, F. (2022). Manta ray foraging optimization for the virtual inertia control of islanded microgrids including renewable energy sources. *Sustainability*, 14(7), 4189.
- Fang, J., Li, H., Tang, Y., & Blaabjerg, F. (2019). On the Inertia of Future More-Electronics Power Systems. *IEEE Journal of Emerging and Selected Topics in Power Electronics*, 7(4), 2130-2146.
- Alipoor, J., Miura, Y., & Ise, T. (2015). Power System Stabilization Using Virtual Synchronous Generator With Alternating Moment of Inertia. *IEEE Journal of Emerging and Selected Topics in Power Electronics*, 3(2), 451-458.
- Fang, J., Li, H., Tang, Y., & Blaabjerg, F. (2018). Distributed Power System Virtual Inertia Implemented by Grid-Connected Power Converters. *IEEE Transactions on Power Electronics*, 33(10), 8488-8499.
- Chowdhury, D., Md. Khalid Hasan, A. S., & Rahman Khan, M. Z. (2018). Scalable DC Microgrid Architecture with Phase Shifted Full Bridge Converter Based Power Management Unit. *2018 10th International Conference on Electrical and Computer Engineering (ICECE)*, 22-25.
- Md. Khalid Hasan, A. S., Chowdhury, D., & Rahman Khan, M. Z. (2018). Scalable DC Microgrid Architecture with a One-Way Communication Based Control Interface. *2018 10th International Conference on Electrical and Computer Engineering (ICECE)*, 265-268.
- Duckwitz, D., & Fischer, B. (2017). Modeling and Design of df/dt-Based Inertia Control for Power Converters. *IEEE Journal of Emerging and Selected Topics in Power Electronics*, 5(4), 1553-1564.

Bose, U., Chattopadhyay, S. K., Chakraborty, C., & Pal, B. (2019). A Novel Method of Frequency Regulation in Microgrid. *IEEE Transactions on Industry Applications*, 55(1), 111-121.

Sepehr, A., Pouresmaeil, E., Saeedian, M., Routimo, M., Godina, R., & Yousefi-Talouki, A. (2019). Control of Grid-Tied Converters for Integration of Renewable Energy Sources into the Weak Grids. *2019 International Conference on Smart Energy Systems and Technologies (SEST)*, 1-6.

Golpîra, H., Messina, A. R., & Bevrani, H. (2019). Emulation of Virtual Inertia to Accommodate Higher Penetration Levels of Distributed Generation in Power Grids. *IEEE Transactions on Power Systems*, 34(5), 3384-3394.

Wang, S., & Tomsovic, K. (2019). Fast Frequency Support From Wind Turbine Generators With Auxiliary Dynamic Demand Control. *IEEE Transactions on Power Systems*, 34(5), 3340-3348.

Vorobev, P., Greenwood, D. M., Bell, J. H., Bialek, J. W., Taylor, P. C., & Turitsyn, K. (2019). Deadbands, Droop, and Inertia Impact on Power System Frequency Distribution. *IEEE Transactions on Power Systems*, 34(4), 3098-3108.

Nguyen, H. T., Yang, G., Nielsen, A. H., & Jensen, P. H. (2019). Combination of Synchronous Condenser and Synthetic Inertia for Frequency Stability Enhancement in Low-Inertia Systems. *IEEE Transactions on Sustainable Energy*, 10(3), 997-1005.

Beck, H. -P., & Hesse, R. (2007). Virtual synchronous machine. *2007 9th International Conference on Electrical Power Quality and Utilisation*, 1-6.

Zhong, Q. -C., & Weiss, G. (2011). Synchronverters: Inverters That Mimic Synchronous Generators. *IEEE Transactions on Industrial Electronics*, 58(4), 1259-1267.

Ashabani, M., Freijedo, F. D., Golestan, S., & Guerrero, J. M. (2016). Inducverters: PLL-Less Converters With Auto-Synchronization and Emulated Inertia Capability. *IEEE Transactions on Smart Grid*, 7(3), 1660-1674.

Kakimoto, N., Takayama, S., Satoh, H., & Nakamura, K. (2009). Power Modulation of Photovoltaic Generator for Frequency Control of Power System. *IEEE Transactions on Energy Conversion*, 24(4), 943-949.

Kim, J., et al. (2019). Supercapacitor to Provide Ancillary Services With Control Coordination. *IEEE Transactions on Industry Applications*, 55(5), 5119-5127.

Namor, E., Sossan, F., Cherkaoui, R., & Paolone, M. (2019). Control of Battery Storage Systems for the Simultaneous Provision of Multiple Services. *IEEE Transactions on Smart Grid*, 10(3), 2799-2808.

Serban, I., & Marinescu, C. (2014). Control Strategy of Three-Phase Battery Energy Storage Systems for Frequency Support in Microgrids and with Uninterrupted Supply of Local Loads. *IEEE Transactions on Power Electronics*, 29(9), 5010-5020.

Fang, J., et al. (2019). An Improved Virtual Inertia Control for Three-Phase Voltage Source Converters Connected to a Weak Grid. *IEEE Transactions on Power Electronics*, 34(9), 8660-8670.

Waffenschmidt, E., & Hui, R. S. Y. (2016). Virtual inertia with PV inverters using DC-link capacitors. *2016 18th European Conference on Power Electronics and Applications (EPE'16 ECCE Europe)*, 1-10.

Poolla, B. K., Groß, D., & Dörfler, F. (2019). Placement and Implementation of Grid-Forming and Grid-Following Virtual Inertia and Fast Frequency Response. *IEEE Transactions on Power Systems*, 34(4), 3035-3046.

Poolla, B. K., Bolognani, S., & Dörfler, F. (2017). Optimal Placement of Virtual Inertia in Power Grids. *IEEE Transactions on Automatic Control*, 62(12), 6209-6220.

Huang, Y., et al. (2015). Modeling of VSC Connected to Weak Grid for Stability Analysis of DC-Link Voltage Control. *IEEE Journal of Emerging and Selected Topics in Power Electronics*, 3(4), 1193-1204.

Wen, B., et al. (2016). Analysis of D-Q Small-Signal Impedance of Grid-Tied Inverters. *IEEE Transactions on Power Electronics*, 31(1), 675-687.

Kaura, V., & Blasko, V. (1997). Operation of a phase locked loop system under distorted utility conditions. *IEEE Transactions on Industry Applications*, 33(1), 58-63.

Wu, W., et al. (2017). A Virtual Inertia Control Strategy for DC Microgrids Analogized With Virtual Synchronous Machines. *IEEE Transactions on Industrial Electronics*, 64(7), 6005-6016.

Rasheduzzaman, M., Mueller, J. A., & Kimball, J. W. (2014). An Accurate Small-Signal Model of Inverter-Dominated Islanded Microgrids Using dq Reference Frame. *IEEE Journal of Emerging and Selected Topics in Power Electronics*, 2(4), 1070-1080.

Freijedo, F. D., et al. (2017). A Root-Locus Design Methodology Derived From the Impedance/Admittance Stability Formulation and Its Application for LCL Grid-Connected Converters in Wind Turbines. *IEEE Transactions on Power Electronics*, 32(10), 8218-8228.

Ding, X., Liu, L., Huang, G., Xu, Y., Guo, J. (2019). A Multi-Objective Optimization Model for a Non-Traditional Energy System in Beijing under Climate Change Conditions. *Energies*, 12, 1692.

Tamrakar, U., Shrestha, D., Malla, N., Ni, Z., Hansen, T. M., Tamrakar, I., Tonkoski, R. (2018). Comparative Analysis of Current Control Techniques to Support Virtual Inertia Applications. *Appl. Sci*, 8, 2695.

Mehrasha, M., Pouresmaeil, E., Soltani, H., Blaabjerg, F., Calado, M. R. A., Catalão, J. P. S. (2019). Virtual Inertia and Mechanical Power-Based Control Strategy to Provide Stable Grid Operation under High Renewables Penetration. *Appl. Sci*, 9, 1043.

- Xi, J., Geng, H., Ma, S., Chi, Y., Yang, G. (2018). Inertial response characteristics analysis and optimisation of PMSG-based VSG-controlled WECS. *Renew. Power Gener*, 12, 1741–1747.
- Amin, M., Molinas, M. (2017). Self-synchronisation of Wind Farm in MMC-based HVDC System. *IEEE Trans. Energy Convers*, 32, 458–470.
- Wang, Y., Yu, M., Li, Y. (2017). Self-adaptive inertia control of DC microgrid based on fast predictive converter regulation. *Renew. Power Gener*, 11, 1295–1303.
- Yap, K. Y., Sarimuthu, C. R., & Lim, J. M.-Y. (2019, December). Virtual inertia-based inverters for mitigating frequency instability in grid-connected renewable energy system: A review. *Appl. Sci.*, 9(24), 5300.
- Dreidy, M., Mokhlis, H., & Mekhilef, S. (2017, March). Inertia response and frequency control techniques for renewable energy sources: A review. *Renew. Sustain. Energy Rev.*, 69, 144–155.
- Tamrakar, U., Shrestha, D., Maharjan, M., Bhattachari, B. P., Hansen, T. M., & Tonkoski, R. (2017). Virtual inertia: Current trends and future directions. *Appl. Sci.*, 7(7), 654.
- Sami, I., Ullah, N., Muyeen, S. M., Techato, K., Chowdhury, M. S., & Ro, J.-S. (2020). Control methods for standalone and grid connected microhydro power plants with synthetic inertia frequency support: A comprehensive review. *IEEE Access*, 8, 176313–176329.
- Alam, M. S., Al-Ismail, F. S., Salem, A., & Abido, M. A. (2020). High-level penetration of renewable energy sources into grid utility: Challenges and solutions. *IEEE Access*, 8, 190277–190299.
- Julius, N., Nderu, J., & Irungu, G. (2019, September). Frequency control and virtual inertia emulation techniques for grid connected wind energy conversion systems—A review. in Proc. IEEE AFRICON, pp. 1–6.
- Wei, S., Zhou, Y., & Huang, Y. (2017). Synchronous motor-generator pair to enhance small signal and transient stability of power system with high penetration of renewable energy. *IEEE Access*, 5, 11505–11512.
- Junyent-Ferr, A., Pipelzadeh, Y., & Green, T. C. (2014, July). Blending HVDC-link energy storage and offshore wind turbine inertia for fast frequency response. *IEEE Trans. Sustain. Energy*, 6(3), 1059–1066.
- Zhu, J., Booth, C. D., Adam, G. P., Roscoe, A. J., & Bright, C. G. (2012, May). Inertia emulation control strategy for VSC-HVDC transmission systems. *IEEE Trans. Power Syst.*, 28(2), 277–128
- Hirase, Y., Sugimoto, K., Sakimoto, K., & Ise, T. (2016, December). Analysis of resonance in microgrids and effects of system frequency stabilization using a virtual synchronous generator. *IEEE J. Emerg. Sel. Topics Power Electron.*, 4(4), 1287–1298, 2016.
- Rodrigues, E. M. G., Osório, G. J., Godina, R., Bazuayehu, A. W., Lujano-Rojas, J. M., & Catalão, J. P. S. (2016, January). Grid code reinforcements for deeper renewable generation in insular energy systems. *Renew. Sustain. Energy Rev.*, 53, 163–177.

- Xu, Y., Li, C., Wang, Z., Zhang, N., & Peng, B. (2018). Load frequency control of a novel renewable energy integrated micro-grid containing pumped hydropower energy storage. *IEEE Access*, 6, 29067–29077.
- Bevrani, H., & Daneshmand, P. R. (2011, March). Fuzzy logic-based load-frequency control concerning high penetration of wind turbines. *IEEE Syst. J.*, 6(1), 173–180.
- Farrokhabadi, M., Cañizares, C. A., & Bhattacharya, K. (2015, May). Frequency control in isolated/islanded microgrids through voltage regulation. *IEEE Trans. Smart Grid*, 8(3), 1185–1194.
- Hafiz, F., & Abdennour, A. (2015, August). Optimal use of kinetic energy for the inertial support from variable speed wind turbines. *Renew. Energy*, 80, 629–643.
- Fu, Q., Nasiri, A., Bhavaraju, V., Solanki, A., Abdallah, T., & Yu, D. C. (2013, March). Transition management of microgrids with high penetration of renewable energy. *IEEE Trans. Smart Grid*, 5(2), 539–549.
- Fini, M. H., & Golshan, M. E. H. (2018). Determining optimal virtual inertia and frequency control parameters to preserve the frequency stability in islanded microgrids with high penetration of renewables. *Electr. Power Syst. Res.*, 154(1), 13–22, 2018.
- Mittal, R., Sandhu, K. S., & Jain, D. K. (2010). Battery energy storage system for variable speed driven PMSG for wind energy conversion system. in Proc. Joint Int. Conf. Power Electron., Drives Energy Syst. Power India, Dec, pp. 1–5.
- Rakhshani, E., & Rodriguez, P. (2016, September). Inertia emulation in AC/DC interconnected power systems using derivative technique considering frequency measurement effects. *IEEE Trans. Power Syst.*, 32(5), 3338–3351.
- Yan, R., & Saha, T. K. (2015, September). Frequency response estimation method for high wind penetration considering wind turbine frequency support functions. *IET Renew. Power Gener.*, 9(7), 775–782.
- Alsharafi, A., Besheer, A., & Emara, H. (2018, March). Primary frequency response enhancement for future low inertia power systems using hybrid control technique. *Energies*, 11(4), 699.
- Mehrasa, M., Pouresmaeil, E., Pournazarian, B., Sepehr, A., Marzband, M., & Catalão, J. (2018, September). Synchronous resonant control technique to address power grid instability problems due to high renewables penetration. *Energies*, 11(9), 2469.
- Yazdanian, M., & Mehrizi-Sani, A. (2014, November). Distributed control techniques in microgrids. *IEEE Trans. Smart Grid*, 5(6), 2901–2909.
- Tielens, P., & Van Hertem, D. (2017, July). Receding horizon control of wind power to provide frequency regulation. *IEEE Trans. Power Syst.*, 32(4), 2663–2672.

- Zhang, W., Cantarellas, A. M., Rocabert, J., Luna, A., & Rodriguez, P. (2016, October). Synchronous power controller with flexible droop characteristics for renewable power generation systems. *IEEE Trans. Sust. Energy*, 7(4), 1572–1582.
- Gu, H., Yan, R., & Saha, T. K. (2017, March). Minimum synchronous inertia requirement of renewable power systems,” *IEEE Trans. Power Syst.*, 33(2), 1533–1543.
- Li, J., Xiong, R., Yang, Q., Liang, F., Zhang, M., & Yuan, W. (2017, September). Design/test of a hybrid energy storage system for primary frequency control using a dynamic droop method in an isolated microgrid power system. *Appl. Energy*, 201, 257–269.
- Wang, Y., Delille, G., Bayem, H., Guillaud, X., & Francois, B. (2013, August). High wind power penetration in isolated power systems—Assessment of wind inertial and primary frequency responses. *IEEE Trans. Power Syst.*, 28(3), 2412–2420.
- Kang, M., Kim, K., Muljadi, E., Park, J. W., & Kang, Y. C. (2016, November). Frequency control support of a doubly-fed induction generator based on the torque limit. *IEEE Trans. Power Syst.*, 31(6), 4575–4583.
- Inzunza, A., Moreno, R., Bernales, A., & Rudnick, H. (2016, September). CVaR constrained planning of renewable generation with consideration of system inertial response, reserve services and demand participation. *Energy Econ.*, 59, 104–117.
- Margaris, I. D., Papathanassiou, S. A., Hatziargyriou, N. D., Hansen, A. D., & Sorensen, P. (2012, April). Frequency control in autonomous power systems with high wind power penetration. *IEEE Trans. Sustain. Energy*, 3(2), 189–199.
- Chen, M., & Xiao, X. (2018, February). Hierarchical frequency control strategy of hybrid droop/VSG-based islanded microgrids. *Electr. Power Syst. Res.*, 155, 131–143.
- Yi, Z., Zhao, X., Shi, D., Duan, J., Xiang, Y., & Wang, Z. (2019). Accurate power sharing and synthetic inertia control for DC building microgrids with guaranteed performance. *IEEE Access*, 7, 63698–63708.
- Yang, S., Fang, J., Tang, Y., Qiu, H., Dong, C., & Wang, P. (2019, November). Modular multilevel converter synthetic inertia-based frequency support for medium-voltage microgrids. *IEEE Trans. Ind. Electron.*, 66(11), 8992–9002.
- Liu, X., & Lindemann, A. (2017, September). Control of VSC-HVDC connected offshore windfarms for providing synthetic inertia. *IEEE J. Emerg. Sel. Topics Power Electron.*, 6(3), 1407–1417.
- Şerban, I., & Marinescu, C. (2011, December). Aggregate load-frequency control of a wind-hydro autonomous microgrid. *Renew. Energy*, 36(12), 3345–3354.
- Rezaei, N., & Kalantar, M. (2015, March). Smart microgrid hierarchical frequency control ancillary service provision based on virtual inertia concept: An integrated demand response and droop controlled distributed generation framework. *Energy Convers. Manage.*, 92, 287–301.

Dasgupta, S., Sahoo, S. K., & Panda, S. K. (2010, March). Single-phase inverter control techniques for interfacing renewable energy sources with microgrid Part I: Parallel-connected inverter topology with active and reactive power flow control along with grid current shaping. *IEEE Trans. Power Electron.*, 26(3), 717–731.

Andalib-Bin-Karim, C., Liang, X., & Zhang, H. (2017, November). Fuzzy-secondary controller-based virtual synchronous generator control scheme for interfacing inverters of renewable distributed generation in microgrids. *IEEE Trans. Ind. Appl.*, 54(2), 1047–1061.

Abubakr, H., Guerrero, J. M., Vasquez, J. C., Mohamed, T. H., Mahmoud, K., Darwish, M. M. F., & Dahab, Y. A. (2022). Adaptive LFC incorporating modified virtual rotor to regulate frequency and tie-line power flow in multi-area microgrids. *IEEE Access*, 10, 33248–33268.

Zhou, S., Han, Y., Yang, P., Mahmoud, K., Lehtonen, M., Darwish, M. M. F., & Zalhaf, A. S. (2022, July). An optimal network constraint-based joint expansion planning model for modern distribution networks with multi-types intermittent RERs. *Renew. Energy*, 194, 137–151.

Prashant, M. S., Siddiqui, A. S., Ghoneim, S. S. M., Mahmoud, K., & Darwish, M. M. F. (2022). Effective transmission congestion management via optimal DG capacity using hybrid swarm optimization for contemporary power system operations. *IEEE Access*, 10, 71091–71106.

Çelik, D., & Meral, M. E. (2022). ‘A coordinated virtual impedance control scheme for three phase four leg inverters of electric vehicle to grid (V2G). *Energy*, 246, 123354.

Marques, A. C., Fuinhas, J. A., & Pereira, D. S. (2019). The dynamics of the short and long-run effects of public policies supporting renewable energy: A comparative study of installed capacity and electricity generation. *Economic Analysis and Policy*, 63, 188–206.

Schill, W.-P., & Zerrahn, A. (2020). Flexible electricity use for heating in markets with renewable energy. *Applied Energy*, 266, 114571.

Hirth, L., & Müller, S. (2016). System-friendly wind power: How advanced wind turbine design can increase the economic value of electricity generated through wind power. *Energy Economics*, 56, 51–63.

Al-Shetwi, A. Q., Hannan, M. A., Jern, K. P., Mansur, M., & Mahlia, T. M. I. (2020). Grid-connected renewable energy sources: Review of the recent integration requirements and control methods. *Journal of Cleaner Production*, 253, 119831.

Das, P., Mathuria, P., Bhakar, R., Mathur, J., Kanudia, A., & Singh, A. (2020). Flexibility requirement for large-scale renewable energy integration in Indian power system: Technology, policy and modeling options. *Energy Strategy Reviews*, 29, 100482

Odeh, R. P., & Watts, D. (2019). Impacts of wind and solar spatial diversification on its market value: A case study of the Chilean electricity market. *Renewable and Sustainable Energy Reviews*, 111, 442–461

Pearre, N., & Swan, L. (2020). Combining wind, solar, and in-stream tidal electricity generation with energy storage using a load-perturbation control strategy. *Energy*, 203, 117898

Islam, M. R., Lu, H., Hossain, M. J., & Li, L. (2019). Mitigating unbalance using distributed network reconfiguration techniques in distributed power generation grids with services for electric vehicles: A review. *Journal of Cleaner Production*, 239, 117932

Kharrazi, A., Sreeram, V., & Mishra, Y. (2020). Assessment techniques of the impact of grid-tied rooftop photovoltaic generation on the power quality of low voltage distribution network - a review. *Renewable and Sustainable Energy Reviews*, 120, 109643.

Jonaitis, A., Gudzius, S., Morkvenas, A., Azubalis, M., Konstantinaviciute, I., Baranauskas, A., & Ticka, V. (2018). Challenges of integrating wind power plants into the electric power system: Lithuanian case. *Renewable and Sustainable Energy Reviews*, 94, 468–475.

Worighi, I., Maach, A., Hafid, A., Hegazy, O., & Van Mierlo, J. (2019). Integrating renewable energy in smart grid system: Architecture, virtualization and analysis. *Sustainable Energy, Grids and Networks*, 18, 100226.